NEWSLETTER

My research interests lie in translating machine learning techniques into clinical practice in a manner that improves inter-user reliability. The LaViolette lab ZRUNV LQ D VXE¿HOG-FDOOHG UDG SDWK UD GLRORJ\ SDWKRORJ\ FRUUHODWLRQ :H DOLJQ post-surgical tissue samples with in vivo FOLQLFDO LPDJLQJ DQG ZULWH SDWWHUQ GHWHF WLRQ DOJRULWKPV WKDW SUHGLFW KLVWRORJLFDO characteristics noninvasively.

0DQ\ VRXUFHV RI YDULDELOLW\ RXWVLGH RI WKH SDUDPHWHUV RI LQWHUHVW FDQ LQÀXHQFH WKH output of a machine learning algorithm, particularly in magnetic resonance imag- LQJ 6FDQQHU SDUDPHWHUV FRLOV DQG ¿HOG VWUHQJWK FDQ FUHDWH VXEWOH VLJQDO GL‡HU HQFHV WKDW PDNH DQ DOJRULWKP WUDLQHG RQ RQH GDWDVHW GLˆFXOW WR JHQHUDOL]H WR D GDWDVHW DFTXLUHG XQGHU GL‡HUHQW FLUFXP VWDQFHV +XPDQ HUURU DQG JURXQG WUXWK

SCIENCE FEATURE

Repurposing a mitochondria-targeted molecule from cancer to COVID-19-related research by Balaraman Kalyanarman, PhD, professor & chair of biophysics; associate director of basic research, Center for Disease Prevention Research

In early April, an NCI program director asked Dr. Ming You (Pharmacology/director of Center for Disease Prevention Research [CDPR]) if he was interested in applying for a COVID-19-related administrative supplement to an existing NCI-funded grant. Ming and I are co-PIs of an existing grant, “Chemoprevention of lung cancer by targeting lonidamine to mitochondria,” so he asked my opinion. 0\ ¿UVW UHDFWLRQ Z DV time? As the national health crisis escalated, it quickly became apparent that as NIH-funded researchers, it was our moment to unite and use our collective expertise in defeating this deadly virus. In order to best address programmatic needs to enhance our understanding of the mechanism of action of this novel virus and potentially enable new, future drug treatment modalities for COVID-19 patients, Ming and I convened a group comprising Drs. Jimmy Feix and Jacek Zielonka (Biophysics) and Dr. Charley Meyers (Pharmacology/associate director of CDPR). Based on a publication reporting the antibacterial properties of mitochondria-targeted agents, we decided to investigate mito-lonidamine, developed by Dr. Micael Hardy (Aix-Marseille Université), as a therapeutic agent to mitigate antibiotic-resistant bacterial infections in COVID-19 patients. Jimmy’s expertise in antibacterial research, coupled with the insightful contributions from Jacek and Charley as well as Ming’s years of experience in mice models of lung cancer and our recent publication in Nature Communications (Cheng G et al. Nat Commun. 2019;10(1):2205) resulted in the submission of a supplemental proposal, “Role of mitochondria-targeted lonidamine to mitigate antibiotic-resistant bacteria infections in patients with COVID-19 disease,” which currently is in review. Regardless of the outcome, I found this WR EH D YHU\ VDWLVI\LQJ H[RUW DP WKDQN IXO IRU WKH &'3 5 DQG %LRSK\VLFV VWD‡ and for Ming’s persistence. Who knows? 7KLV PD\ EHFRPH D IXOO $HGJHG 5 6WD\ WXQHG

Going Virtual & Reimagining the Seminar Series

Following Governor Evers’ Safer-at-Home order and MCW directives, the Biophysics Graduate Program courses PRYHG WR DQ RQOLQH IRUPDW 7KLV DŧHEWHG the Functional MRI Contrast Mechanisms and Applications course directed by Christopher Pawela, PhD; MRI Journal Club course, directed by Peter LaViolette, PhD; and Seminar course, directed by Candice Klug, PhD. The courses taught by Drs. Pawela and LaViolette ¿QLVKHG RXW WKH VHPHVWHU YLD :HEE[The Seminars course, for which students are required to attend in-person presentations by Biophysics Graduate Seminar Series speakers, had to be somewhat reimagined, as the seminar series was F DQFHOHG ZLWK ¿YH VHPLQDUV UHPDLQLQJ To complete the Seminar course, students were given the option of substituting a previously recorded Biophysics seminar or comparable MCW seminar of interest; a previously attended, comparable seminar from an MCW department other than Biophysics; an MCW dissertation defense or seminar of interest, attended virtually; or an online talk of VFLHQWL¿F LQWHUHVW VXFK DV D 7HG WDON 1,+ talk, YouTube talk, or university lecture. According to Dr. Klug, the students read-LO\ DGDSWHG DQG HQMR\HG ¿QGLQJ DOWHUQD tive content that was meaningful to their research.

Biophysics responded to the COVID-19 pandemic in line with guidance from MCW and the State of Wisconsin. One RI LWV ¿UVW GHFLVLRQV remainder of the spring Graduate Seminar Series to limit gathering size. Similarly, the Redox Biology Program, working with the Society for Redox Biology and Medicine, postponed its SfRBM Regional MCW Redox Biology Symposium.

Shortly thereafter, all MCW employees able to work remotely were mandated to do so, and labs were put into hibernation. One lab conducting critical ongoing experiments was granted permission to continue them. Biophysics graduate courses, including dissertation defenses, shifted to an online platform, as did lab JURXS IDFXOW\ DQG VW

Amid continuing uncertainty in this new working and learning environment, Balaraman Kalyanaraman, PhD, encouraged Biophysics personnel to control ZKDW ZDV ZLWKLQ WKHLU SDSHU Z’UL WH D UHYLHZ related RFAs and, based on individual strengths and expertise, determine how to contribute to understanding the SARS-CoV-2 mechanism of action. He also encouraged maintaining a good work/life balance and exercise schedule; eating healthy foods; and being kind to each other, particularly essential employees.

DEPARTMENT NEWS

Congratulations

•

1 serving

Ingredients

ï » \ F X S G D L U \ R U Q R Q G

2 tablespoons unsweetened Dutch-processed cocoa powder

1 tablespoon sugar

3 ice cubes

Whipped cream (optional)

Chocolate shavings (optional)

Directions

1. Put milk, cocoa, sugar, and ice cubes in a cocktail shaker.
2. Shake for 30-45 seconds.
3. Remove the lid from the shaker and pour the frappé into a chilled glass. (You can include any pieces of ice that remain or strain them out.)
4. Spoon any mousse (foam) left in the shaker on top of the frappé.
5. If desired, garnish with whipped cream and chocolate shavings.

Much of my research to date has focused on developing technology that enables site-directed spin labeling (SDSL) electron paramagnetic resonance (EPR) spectroscopy to be performed on proteins at high hydrostatic pressure, which provides unique mechanistic insights by mapping sparsely populated regions of the conformational landscape. Given the location of my lab within the National Biomedical EPR Center, I am well-positioned to continue my technology development work in variable-pressure EPR with the assistance of the excellent engineering staf. My current projects use these and other methods to explore the molecular mechanisms of signal transduction in

Submtted by Mona Al-Gizawiy

Ingredients

1 cup Lyle's golden syrup
1 cup light brown sugar, packed
1/2 cup heavy cream
1 tablespoon molasses (optional)
4 tablespoons unsalted butter (cold)
1/2 teaspoon salt
6 large egg yolks
~3 cups pecans, toasted & coarsely chopped
pie crust/shell (chilled)

Directions

1. Preheat oven to 450°F.
2. Over medium heat, combine syrup, sugar, cream, and molasses (if using), stirring occasionally until sugar dissolves, 3 to 5 min.
3. Remove from heat and set aside for 5 min.
4. Whisk in butter and salt.
5. Whisk in egg yolks until well combined, taking care not to scramble them. (Note: If the eggs curdle a little, keep whisking and then strain it all into a new bowl. It's very forgiving!)
6. Remove pie dough from fridge, roll it out, and cut out 2.75-inch rounds of dough. (Note: The tins, the rounds may need to be a bit larger.)
7. Place the dough rounds into lightly greased

My research focuses on the development of MRI methods to improve the treatment management of brain tumor patients. The goal is to obtain information about tumor biology (blood vessels and tumor cell proliferation) that is not available with current MRI methods.

Using high-speed MRI technology, we collected data during the administration of a contrast agent. From these data, we developed specialized processing schemes to create blood volume maps of a patient's brain and tumor. We published the first paper showing that this is possible; the paper also provides important information about tumor biology and aggression. This work led to a US Patent and the formation of two MCW start-up companies; also, it is the method of choice for past and ongoing multicenter clinical trials. One of the start-up companies, Imaging Biometrics LLC, has several FDA-cleared products, one of which is based on this initial work.

Recently, we developed a new imaging biomarker called fractional tumor burden (FTB), derived from our blood volume

4 servings

Ingredients

1 generous bunch (about 4 cups) of purslane,* thick stems cut away
1 tablespoon fresh mint, chopped
22 cherries, pitted and quartered
12 kalamata olives, pitted and chopped
1 tablespoon sherry vinegar
1 tablespoon balsamic vinegar
1 tablespoon fresh lemon juice
1 small garlic clove, pureed
1/4 cup extra virgin olive oil
Salt to taste
Freshly ground black pepper to taste
1–2 ounces feta, crumbled

De

SCIENCE FEATURE

(Vanderbilt), Catching a ‘notorious’ drug pump in action: Energy transduction, alternating access, and mechanism of allosteric modulation of the multidrug transporter P-glycoprotein

Sept. 13 | Nicolai Lehnert, PhD (Univ. Michigan), The special role of the proximal cysteinate ligand in cytochrome P450 and nitric oxide synthase catalysis

Sept. 20 | William Gross, MD, PhD (MCW), Preventing postoperative language deýcits using fMRI and ECoG

Sept. 27 | Albert van der Vliet, PhD (Univ. Vermont), The DUOX paradox: Contrasting roles in allergic airways disease and age-related lung pathology

COMMUNITY ENGAGEMENT

Mobile Market Update

In June, the Biophysics and Cell Biology, Neurobiology & Anatomy departments participated in their inaugural volunteer opportunity with the Hunger Task Force’s Mobile Market, which provides fresh and healthy foods to communities that have limited access.

The departments have since decided to “adopt” the site, which is located at St. Peter’s Apartments in Milwaukee. This means that each month, three volunteers will visit the site and help the Hunger Task Force distribute groceries from the Mobile Market to shoppers from the community. To date, 11 individuals from the two departments have volunteered, and six volunteers are scheduled to participate in the next two months. If you are interested in volunteering in the future, contact Janet Pradarelli.

My research focuses on the development of chemical biology tools to modulate and detect cellular reactive oxygen and nitrogen species, including superoxide, hydrogen peroxide, and peroxynitrite ($ONOO^-$). Our lab activity ranges from basic chemistry and reaction kinetics to cell-free enzymatic systems to cultured cells *in vitro* and animal models *in vivo*. The overall goal of this research is to understand the role of cellular oxidants in cell function and dysfunction, and to develop redox-based therapeutic strategies.

My current projects focus on the development of novel anticancer agents that target cancer cell bioenergetics and redox status. We have designed and synthesized new compounds capable of inhibiting mitochondrial respiration and, at the same time, catalytically producing reactive oxygen species. These compounds show antiproliferative and cytotoxic activity against various cancer cells in vitro and tumor growth LQ[HVWLJDWLRQV RI SDQFUHDWLF FDQFHU
pancreatic cancer *in vivo*.

In parallel, we are working on the development of novel probes for cellular oxidants and are exploring the oxidative chemistry of aromatic boronates and their use as molecular probes for cellular oxidants and as potential redox-activated prodrugs. Based on the unique chemistry of the in-

Serves: 4

Ingredients

3½–4-pound chicken
2 medium onions, unpeeled, quartered
2 heads of garlic, halved crosswise
4-inch piece ginger, unpeeled, thinly sliced
3 dried bay leaves
2–3-inch piece fresh turmeric, thinly sliced
substitute 1 tablespoon ground turmeric
2 teaspoons black peppercorns
2 teaspoons coriander seeds
Kosher salt
12 ounces carrots (about 4 medium), peel
into ½-inch pieces on a diagonal
8 ounces dried udon noodles
Scallions, very thinly sliced (for serving)
Chili oil (for serving)

Directions

Place chicken, onions, garlic, ginger, bay l
turmeric, peppercorns, coriander seeds, a

Many pathogens produce and export proteins to facilitate their survival within the host environment. These proteins, termed effectors, are critical in the outcome of an infection. Pseudomonas aeruginosa, a Gram-negative bacterial pathogen, which is a leading cause of hospital-acquired pneumonia, produces four important effectors, the most cytotoxic of which is termed exoenzyme U (ExoU). Once activated within the host, ExoU acts as a phospholipase, degrading the component molecules of cell membranes. This enhances the ability of P. aeruginosa to spread from the initial site of infection and can inhibit the host immune response. Consequently, ExoU is an important target for the develop-